ннн	ннн	EEEEEEEEEEEEE	LLL	PPPPPPPPPI	PPP
ннн	ННН	EEEEEEEEEEEEE	iii	PPPPPPPPP	
ннн	ннн	EEEEEEEEEEEE	ili	PPPPPPPPP	
нин	HHH				
		EEE	LLL	PPP	PPP
HHH	ннн	EEE	LLL	PPP	PPP
HHH	HHH	ĒĒĒ	LLL	PPP	PPP
HHH	HHH	ĔĔĔ	LLL	PPP	PPP
HHH	HHH	EEE	LLL	PPP	PPP
HHH	HHH	EEE	iii	PPP	PPP
	нинининн	ÉÉÉÉEEEEEEEE	iii	PPPPPPPPPI	
НИННИНН	нининин	EEEEEEEEEE	Ϊ́Ϊ́Ι	PPPPPPPPP	
НННННН	нининин	EEEEEEEEEE	ίίί	PPPPPPPPP	
ннн	ннн	EEE	LLL	PPP	
HHH	ННН	ĒĒĒ	LLL	PPP	
ННН	ННН	EEE	ĹΪĹ	PPP	
HHH	ннн	ĒĒĒ	ίίί	PPP	
ННН	HHH	EEE	LLL	PPP	
HHH	HHH	ĒĒĒ	ĹĹĹ	PPP	
HHH	HHH	EEEEEEEEEEEEE	ĹĹĹLLLLLLLLLLLLL	PPP	
HHH	HHH	EEEEEEEEEEEEE		PPP	
HHH	ннн	EEEEEEEEEEEEE		PPP	

VV VV VV VV VV VV VV VV VV VV VV VV VV		MM MM MMM MMM MMMM MMMM MMMM MMM MM MM M	\$	HH HH HH HH HH HH HH HH HH HH HHHHHHHH			PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	• • • •
--	--	--	--	---	--	--	--	---------

MM MM	MM MM		AAA	PPPPP	
MMMM	MMMM	AA	AA	PP	PP
MMMM	MMMM	AA	AA	PP	PP
MM M	M MM	AA	AA	PP	PP
MM M	M MM	AA	AA	PP	PP
MM	MM	AA	AA	PPPPP	PPP
MM	MM	AA	AA	PPPPP	PPP
MM	MM	AAAAA	AAAAA	PP	
MM	MM	AAAAA	AAAAA	PP	
MM	MM	AA	AA	PP	
MM	MM	AA	AA	PP	
MM	MM	AA	AA	PP	
MM	MM	AA	AA	PP	

HI V

! Object Module Synopsis!

Module Name	Ident	Bytes	File		Creation Date	Creator
HELP HELP CLISINTERFACE CLISGLOBALS SYSSPI VECTOR LBRSHR LIBRTL SCRSHR	V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000	2622 516 0 0 0	_\$255\$DUA28; _\$255\$DUA28; _\$255\$DUA28; _\$255\$DUA28; _\$255\$DUA28;	HELP.OBJ]HELP.OBJ;1 SYSLIB]STARLET.OLB;2 SYSLIB]STARLET.OLB;2 SYSLIB]STARLET.OLB;2 SYSLIB]LBRSHR.EXE;1 SYSLIB]LIBRTL.EXE;1 SYSLIB]SCRSHR.EXE;1	16-Sep-1984 01:37 16-Sep-1984 00:32 15-SEP-1984 23:38 16-SEP-1984 00:40 16-SEP-1984 04:16 16-SEP-1984 04:00 16-SEP-1984 04:04	VAX-11 Bliss-32 V4.0-742 VAX-11 Bliss-32 V4.0-742 VAX/VMS Macro V04-00 VAX/VMS Macro V04-00 VAX-11 Linker V04-00 VAX-11 Linker V04-00 VAX-11 Linker V04-00

! Image Section Synopsis!

Cluster	Type	Pages	Base Addr	Disk VBN PFC	. P	rotec	tion	and Pagi	ing	Global Sec. Name	Match	Majorid	Minorid
 DEFAULT_CLUSTER	0 0 0 253	2 5 1 20	00000200 00000600 00001000 7FFFD 8 00	0 2 7 0	0	READ READ	ONLY	DEMAND FIXUF DEMAND	P VECTORS	;			
LBRSHR	1224	1 3 54 1	00000000-R 00000200-R 00000800-R 0C007400-R	R Ö	0	READ	WRITE		ON REF	LBRSHR_001 LBRSHR_002 LBRSHR_003 LBRSHR_004	LESS/EQUAL LESS/EQUAL LESS/EQUAL LESS/EQUAL	2 2 2	9 9 9
LIBRTL	3	111	00000000-R	0	0	READ READ	ONLY WRITE	DEMAND	ZERO	LIBRTL_001 LIBRTL_002	LESS/EQUAL	1 1	11 11
SCRSHR	3 4 2	14 1 1	00000000-R 00001000-R 00001E00-R	Ò	0		ONLY WRITE WRITE	COPY FIXUF	ON REF P VECTORS	SCRSHR_001 SCRSHR_002 SCRSHR_003	LESS/EQUAL LESS/EQUAL LESS/EQUAL	1 1	2900 2900 2900

Key for special characters above:

R - Relocatable ! P - Protected !

Page

! Program Section Synopsis!

Psect Name	Module Name	Base	End	Length	Align	Attributes	
SOUNS	HELP_HELP	00000200	00000468 00000468	00000260 (620.) LONG 2 NOPIC, 620.) LONG 2	USR,CON,REL,LCL,NOSHR,NOEXE,	RD, WRT, NOVEC
\$CODE\$	HELP HELP CLISINTERFACE		00000CB5	000008BC (000006B6 (00000204 (2236.) LONG 2 NOPIC, 1718.) LONG 2 516.) LONG 2	USR,CON,REL,LCL,NOSHR, EXE,	RD, NOWRT, NOVEC
SPLITS	HELP HELP			0000011C (284.) LONG 2 NOPIC, 284.) LONG 2	USR, CON, REL, LCL, NOSHR, EXE,	RD, NOWRT, NOVEC

! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By	
CLISDCL PARSE CLISDISPATCH CLISGET VALUE CLISNEXT QUAL CLISPRESENT CLIS ABSENT CLIS COMMA CLIS CONCAT	00000087-R 00000E38-R 00000CFB-R 00000E79-R 00000CB8-R 000381F0 0003FD39 0003FD29	CLISINTERFACE CLISINTERFACE CLISINTERFACE CLISINTERFACE CLISINTERFACE CLISGLOBALS CLISGLOBALS CLISGLOBALS CLISGLOBALS	HELP_HELP HELP_HELP CLISINTERFACE CLISINTERFACE CLISINTERFACE	
CLIS DEFAULTED CLIS LOCNEG CLIS LOCPRES CLIS NEGATED	0003FD21 00038230 0003FD31 000381F8	CLISGLOBALS CLISGLOBALS CLISGLOBALS CLISGLOBALS	CLISINTERFACE CLISINTERFACE CLISINTERFACE CLISINTERFACE	HELP_HELP HELP_HELP
CLIS_NOCOMD CLIS_PRESENT HELP\$START LBR\$GL_RMSSTV	000380B0 0003FD19 00000600-R 0000104C-RX	CLISGLOBALS CLISGLOBALS HELP HELP LBRSAR	CLISINTERFACE CLISINTERFACE HELP_HELP	HELP_HELP
LBRSOUTPUT HELP LBRS ENDTOFIC LIBSFREE VM LIBSGET INPUT	00001048-RX 00268848 00001060-RX 00001068-RX	LBRSHR LBRSHR LIBRTL LIBRTL	HELP_HELP HELP_HELP CLISINTERFACE HELP_HELP	
LIBSGET VM LIBSSIGNAL LIBSSTOP SCRSERASE_PAGE	00001064-RX 00001070-RX 0000106C-RX 0000107C-RX	LIBRTL LIBRTL LIBRTL SCRSHR	CLISINTERFACE HELP_HELP HELP_HELP HELP_HELP	
STRSANALYZE_SDESC STRSCOPY_DX SYSSASSIGN SYSSCLI	00001058-RX 7FFEDE50 7FFEDE18	LIBRTL LIBRTL SYS\$P1_VECTOR SYS\$P1_VECTOR	CLISINTERFACE CLISINTERFACE HELP_HELP CLISINTERFACE	
SYS\$CLOSE SYS\$CONNECT SYS\$CREATE SYS\$DASSGN	7FFEE1B8 7FFEE1C0 7FFEE1C8 7FFEDEE0	SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR	HELP_HELP HELP_HELP HELP_HELP HELP_HELP	
SYS\$DISCONNECT SYS\$EXIT SYS\$GETCHN SYS\$GETDVI SYS\$PUT SYS\$QIOW SYS\$TRNLOG	7FFEE1DO 7FFEEDF40 7FFEEOC8 7FFEE41D 7FFEE188 7FFEDEOO 7FFEEOS8	SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR	HELP	

```
! Symbols By Value !
```

Symbols...

```
Value
00000600
                       R-HELP$START
R-CLI$PRESENT
00000CB&
                       R-CLISGET_VALUE
R-CLISDCL_PARSE
00000CFB
00000D87
00000E38
00000E79
                       R-CLISDISPATCH
                     R-CLISNEXT QUAL
RX-LBRSOUTPUT HELP
00001048
                     RX-LBRSOUTPUT HELP
RX-LBR$GL RMSSTV
RX-STR$COPY DX
RX-STR$ANALYZE_SDESC
RX-LIB$FREE VM
RX-LIB$GET_VM
RX-LIB$GET_INPUT
RX-LIB$GET_INPUT
RX-LIB$STOP
00001040
00001058
00001050
00001060
00001064
00001068
00001060
00001070
                     RX-LIB'SIGNAL
                     RX-LIB'SIGNAL
RX-SCRSERASE PAGE
CLIS NOCOMD
CLIS ABSENT
CLIS NEGATED
CLIS PRESENT
CLIS DEFAULTED
CLIS CONCAT
CLIS LOCPRES
CLIS COMMA
LBRS ENDTOPIC
SYSSGIOW
SYSSCLI
0000107C
000380B0
000381F0
000381F8
00038230
0003FD19
0003FD21
0003FD29
0003FD31
0003FD39
00268848
7FFEDEO0
7FFEDE18
                           SYS$CLI
7FFEDE50
                           SYS$ASSIGN
7FFEDEEQ
                           SYS$DASSGN
                           SYSSEXIT
SYSSTRNLOG
7FFEDF40
7FFEE058
                           SYSSGETCHN
SYSSPUT
SYSSCLOSE
SYSSCONNECT
7FFEEOC8
7FFEE188
7FFEE188
7FFEE1CO
7FFEE1C8
                           SYS$CREATE
7FFEE1DO
                           SYS$DISCONNECT
7FFEE410
                           SYS$GETDV1
```

Key for special characters above:

```
- Undefined
U - Universal
R - Relocatable
X - External
```

```
Image Synopsis !
Virtual memory allocated:
                                                   00000200 000011FF 00001000 (4096. bytes, 8. pages)
Stack size:
                                                         20. pages
Image header virtual block limits:
                                                                             1. block)
Image binary virtual block limits:
                                                                    7. (
                                                                             6. blocks)
Image name and identification:
                                                   VMSHELP V04-000
Number of files:
Number of modules:
Number of program sections:
Number of global symbols:
                                                        419.
                                                         79.
13.
Number of čross references:
Number of image sections:
                                                   00000600
User transfer address:
Number of code references to shareable images:
                                                   EXECUTABLE.
Image type:
Map format:
                                                   FULL WITH CROSS REFERENCE in file _$255$DUA28:[HELP.LIS]VMSHELP.MAP;1
Estimated map length:
                                                   81. blocks
                                               ! Link Run Statistics !
Performance Indicators
                                                   Page faults
                                                                 CPU Time
                                                                                  Elapsed Time
                                                                 00:00:00.26
    Command processing:
                                                           104
                                                                                  00:00:00.64
    Pass 1:
                                                           163
                                                                                  00:00:10.72
                                                            28
35
                                                                 00:00:00.15
                                                                                  00:00:00.75
    Allocation/Relocation:
    Pass 2:
                                                                 00:00:00.54
                                                                                  00:00:03.25
                                                                 00:00:00.37
    Map data after object module synopsis:
                                                                                  00:00:00.41
    Symbol table output:
                                                                 00:00:00.02
                                                                                  00:00:00.38
Total run values:
                                                           355
                                                                 00:00:02.72
                                                                                  00:00:16.15
Using a working set limited to 900 pages and 86 pages of data storage (excluding image)
Total number object records read (both passes): 256
    of which 63 were in libraries and 14 were DEBUG data records containing 1006 bytes
Number of modules extracted explicitly
    with 3 extracted to resolve undefined symbols
24 library searches were for symbols not in the library searched
A total of O global symbol table records was written
LINK/USERLIB=PROC/NOTRACE/EXE=EXES:VMSHELP/MAP=MAPS:VMSHELP/FULL/CROSS OBJS:HELP.SYS$INPUT:/OPTIONS
 Options input
PSECT=$PLIT$.EXE
```

0185 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

